



Chubbsafes
Trusted the world over.



Mediaplus⁺

120 minutes datamedia protection

KEY FEATURES:

- Quality media protection using high specification materials
- Tested to highest international standards EN 1047-1 and UL72 Class 125
- Fire resistance of 120 minutes
- Manufactured to ISO 9002 accredited quality assured process
- Can be customised by using fixed shelves, pull out drawer and lockable cupboards
- Electronic and mechanical combination locks available
- Available in five sizes



Mediaplus+ - 120 minutes datamedia protection

With the Chubb Safes MediaPlus+ you can be assured all your datamedia will be fully protected against theft or fire. This new generation cabinet takes data protection to higher levels of luxury and appeal. Its boasts a stunning and dynamic look with the new "sweeping" fascia design and three spoke handle. Its product features just don't lie on the outside. Constructed from the highest specification materials, the cabinet offers 2 hours fire protection and can be customised with a wide range of fittings. With all of these features packed into a cabinet its no wonder the MediaPlus+ is the top of the datamedia protection range...



QUALITY FEATURES:

Testing

All units comply with European standard EN 1047-1 and American UL72 Class 125 standard.

Fire resistance

All Mediaplus+ cabinets carry the ECB•S S120 DIS label and the UL72 class 125 2HR label. This means the Mediaplus+ offers 2 hours datamedia protection.

Test involves:

- **Stage 1:** Furnace exposure to 1049°C
- **Stage 2:** Dropped from a 9.1m height. This duplicates conditions of a floor collapse in a fire
- **Stage 3:** Reheating
- **Stage 4:** Furnace cool out as latent heat is present within the unit
- **Stage 5:** Continuous monitoring of the temperature throughout the cool out period

Manufacture

Manufactured to an ISO9002 accredited quality assured process.

Locking

The Mediaplus+ is locked by a high security, double bitted keylock. A key retaining feature ensures cabinet must be locked before removal of key.

Construction

Chubb Safes three stage barrier materials provide the ultimate in proven fire protection for your computer media.

Boltwork

Four way engagement with 20mm moving bolts extending from 3 sides of the door that engage securely into the body.

DESIGN FEATURES:

Size

Available in five sizes.

Finish

The safe is finished in a light grey RAL 9002 textured finish.

Design

Attractive design with Chubb Safes handle for comfortable and smooth operation.

WORKING WITH YOU:

Planning & Installation - The Complete Service

Prior to making a purchase, Chubb Safes will guide you through the selection process. This process begins by carefully identifying your security objectives. Once complete, a security solution will be offered together with a free comprehensive installation survey. Chubb Safes will then agree with you a flexible installation schedule. The flexibility of the installation process is evidence of Chubb Safes commitment towards ensuring the cost and time efficient completion of your purchase.

Chubb Safes products are delivered and installed by trained Chubb Safes installers. Whatever the delivery environment (e.g. large bank or small office) you can be assured that the installers will take the greatest care. We are also focused on making sure the service on offer is achievable, to the highest standards of workmanship and is promptly completed within the contracted timescales.

Mediaplus+

120 minutes datamedia protection



Size 5



Size 2

CUSTOMISATION:

No two businesses are the same when it comes to datamedia storage requirements. The Mediaplus+ range will meet your differing storage needs by being customised with fixed shelves, pullout shelves and drawers. For further details and technical information regarding customisation please feel free to contact Chubb safes or your local authorised dealer. As always, Chubb safes will endeavour to provide a customisation solution which meets your expectations.

Please note: The Mediaplus+ safe is supplied empty. Customisation work available at an extra cost.



Pullout Drawer



Shelf



Lockable Clipboard

Mediaplus⁺

120 minutes datamedia protection

Model	External dimensions (mm)			Internal dimensions (mm)			Internal Vol (litres)	Weight (kg)	Locking	Shelf	Fittings			Fire Rating (mins)
	Height	Width	Depth*	Height	Width	Depth*					Lockable cupboard	Drawer		
MediaPlus ⁺														
Size 1	911	746	780	565	490	400	111	315	Keylock	✓	✓	✓	120	
Size 2	1191	746	780	845	490	400	167	390	Keylock	✓	✓	✓	120	
Size 3	1471	746	780	1125	490	400	221	490	Keylock	✓	✓	✓	120	
Size 4	1941	746	780	1595	490	400	313	640	Keylock	✓	✓	✓	120	
Size 5	1941	1036	830	1570	780	450	556	860	Keylock	✓	✓	✓	120	

Media designation	Size	Per drawer (level)		Storage	Model									
		Size 1-4	Size 5		Size 1		Size 2		Size 3		Size 4		Size 5	
					no of drawers	total capacity	no of drawers	total capacity	no of drawers	total capacity	no of drawers	total capacity	no of drawers	total capacity
DLT - tapes	110 x 112 x 30	48	94	F + L	4	192	7	336	9	432	13	624	13	1222
LTO tapes	110 x 112 x 30	48	94	F + L	4	192	7	336	9	432	13	624	13	1222
DDS 4 mm (DC 4)	80 x 58 x 16	124	239	F + L	8	992	12	1488	16	1984	22	2728	22	5258
DDS 8 mm (DC 8)	102 x 68 x 20	79	148	F + L	7	553	10	790	14	1106	19	1501	19	2812
DAT Cassettes	80 x 60 x 15	134	260	F + L	8	1072	12	1608	16	2144	22	2948	22	5720
Data Cartridges 3,5"	96 x 100 x 12	144	274	F + L	5	720	7	1008	10	1440	14	2016	14	3836
Data Cartridges 5,25"	141 x 159 x 17	69	130	F	3	207	4	276	6	414	9	621	9	1170
AIT Data Cartridge (Sony)	67 x 112 x 21	108	216	F + L	4	432	7	756	9	972	13	1404	13	2808
Travan Data Cartridge (Sony)	78 x 100 x 19	100	212	F	5	500	7	700	10	1000	14	1400	14	2968
On Stream ADR (Verbatim)	129 x 95 x 15	89	162	F + L	5	445	7	623	10	890	14	1246	14	2268
SLR / MLR 5,25" (Imation)	116 x 161 x 21	54	126	F + L	3	162	4	216	6	324	9	486	9	1134
PD Cartridge (Fuji)	135 x 124 x 8	153	227	F + L	4	612	6	918	8	1224	12	1836	12	2724
IBM 3480 / 3490	127 x 110 x 25	51	99	F + L	4	204	7	357	9	459	13	663	13	1287
CD / DVD (R, RW and RAM)	142 x 124 x 10	117	225	F	4	468	6	702	8	936	12	1404	12	2700
Diskette 3½ (Floppy Disc)	94 x 90 x 3,0	596	1124	F + L	5	2980	8	4768	11	6556	15	8940	15	16860
Optical Disc 3,5	94 x 90 x 6	296	560	F + L	5	1480	8	2368	11	3256	15	4440	15	8400
Optical Disc 5,25	135 x 153 x 11	112	214	F + L	3	336	5	560	6	672	9	1008	9	1926
ZIP Disk Media	103 x 104 x 12	135	256	F + L	5	675	7	945	10	1350	14	1890	14	3584
MO - R/W (Magneto Optical Disk)	157 x 143 x 16	62	122	F + L	3	186	5	310	7	434	10	620	10	1220

F = frontal loading

F + L = frontal and lateral loading



Authorised dealer:

Chubbsafes
Trusted the world over.

PO Box 61, Woden Road, Wolverhampton, WV10 0BY United Kingdom

Tel. +44 (0) 1902 455111 Fax: +44 (0) 1902 351961

Email: marketing@chubbsafesuk.com

Website: www.chubbsafes.com

*Chubb is owned by Chubb plc and is a registered trademark used under license